
How to Measure



Standard Sizes

32" x 80" 36" x 80"


Custom Size

Up to 60" wide & 120" tall

All measurements are taken from the outside and should be the door frame opening.

- Take three measurements on width (A): top, center, and bottom. Use smallest figure.
- Measure height (B) from top of opening to sill. Measure both sides and use smallest figure.

When ordering pre-hung doors, face the door from the outside and specify whether hinges are left-hand or right-hand.



Weathering Storms with you since 1947!



Sales@doortechcorp.com (336)-357-6498 www.doortechllc.com

DoorTech



Manufacturer of Pre-Hung Aluminum Storm & Screen Doors for the Building Supply Industry

Standard Hardware:



Lucite Tube

- Exterior key-lock
- Push-button handle
- Interior security latch lock



Starlite Black Villa

- Interior security latch lock
- o Pull handle



Black DT Series

- Interior security latch lock
- Push button handle

Upgrades:

1 1/4" Doors Only



Brushed Nickel

- Built-in latch lock
- o Optional deadlock provided



Polished Brass

- Built-in latch lock
- Optional deadlock provided
- Matching brass finish for interior handle



Inswing Kit Handle

Comes with inswing doors



Screen Doors



Black DT Series Hardware



Storm Doors
















Doors are pre-hung and install in under 30 minutes